


Section 7

FOAM & RUBBER SEALS

7 - FOAM & RUBBER SEALS



PINCHWELD - EDGE SEAL


Black PVC Edge seal.

Features:

- Great for tidying rough cuts
- covering sharp corners


Part No. S0006

Small:




Part No. FS0007

Medium:



Part No. S0008


Large:



PINCHWELD - TOP BUBBLE


Part No. S0004

Small:



Part No. S0005


Large:



PINCHWELD - SIDE BUBBLE


Part No. S0001

Small:




Part No. S0002

Medium:



Part No. S0003

Large:



Foam Tape - Polyethylene:

Great as a general purpose foam tape.

Features:

- Economical seal for doors, toolboxes, etc
- Permanent water proof packing between two surfaces (i.e. Ute body & canopy)
- Can be used to pack in walls
- Can be used to dam in sealant behind windows
- When burnt will not emit toxic fumes
- Flame Retardant



Part No.	Thickness	Width	Roll Length
FRS0017	3mm	12mm	25 Meters
FRS0018	3mm	24mm	25 Meters
FRS0019	3mm	48mm	25 Meters
FRS0020	6mm	12mm	15 Meters
FRS0021	6mm	24mm	15 Meters
FRS0022	6mm	48mm	15 Meters
FRS0023	12mm	12mm	7 Meters
FRS0024	12mm	24mm	7 Meters
FRS0025	12mm	48mm	7 Meters

Foam Tape - Neoprene:

Great as a general purpose foam tape.

Features:

- Quality seal for doors, toolboxes, etc
- Quality foam memory ensures constant and long lasting protection.
- Quality adhesion and cohesion.
- Resistance to petrol and oils



Part No.	Thickness	Width	Roll Length
FRS0026	3mm	12mm	25 Meters
FRS0027	3mm	24mm	25 Meters
FRS0028	3mm	48mm	25 Meters
FRS0029	6mm	12mm	15 Meters
FRS0030	6mm	24mm	15 Meters
FRS0031	6mm	48mm	15 Meters
FRS0032	12mm	12mm	7 Meters
FRS0033	12mm	24mm	7 Meters
FRS0034	12mm	48mm	7 Meters


Self Adhesive 'D' Seal:

Great as a general purpose sealing tape. Encompasses the great seal received from a pinchweld profile with the simple application ease of foam tape.




Part No. S0011

Large:




Part No. S0010

Medium:



Part No. S0009

Small:





PVC Co-Extruded Seal:

This co-extruded product is supplied in 5000mm lengths.

Part No. S0012

Single Leg


(Suits 24mm plus door thickness)



Part No. S0013

Double Leg


(Minimum Door Thickness 21mm):



Part No. S0014

Double Leg


(Minimum Door Thickness 26mm):



Part No. S0015


Double Leg

(Minimum Door Thickness 30mm):



Part No. S0016

Corner Tab:



7 - FOAM & RUBBER SEALS

7 - FOAM & RUBBER SEALS



7 - FOAM & RUBBER SEALS

Phone: 07 3077 6699 Fax: 07 3103 8650
Email: sales@dunnandwatson.com.au